


Submittal Data: ARC433A53

Wireless Remote Controller (for use with FTXS15, 18, 24, and CTXS09 units)

Job Name:	Location:		
Purchaser:			
Engineer:			
Submitted To:	For: Reference	☐ Approval	☐ Construction
Submitted By:	Date:		
Unit Designation: Schedule #:	Model No.:		



FEATURES / BENEFITS		
Self-Diagnosis with Digital Display	Shows when something has gone off-track, for fast, easy maintenance	
Home Leave Operation	Keeps the room from becoming too hot or too cold, even when the room is vacant	
Night Set Mode	Senses nighttime and gently raises or lowers the temperature just before the air conditioner stops	
Intelligent Eye	Senses human movement and saves energy when the room is vacant	
Wide Angle Louvers	Provides the widest airflow possible, no matter where the unit is located	



- 1. Signal transmitter:
- It sends signals to the indoor unit.
- 2. Display:
- It displays the current settings.
- HOME LEAVE button: HOME LEAVE operation
- 4. POWERFUL button: (Maximum operation)
 POWERFUL operation
- 5. TEMPERATURE adjustment buttons:
- It changes the temperature setting.
 6. ON/OFF button:
- Press this button once to start operation.
- Press once again to stop it.

 7. MODE selector button:
- It selects the operation mode.

 (AUTO/DRY/COOL/HEAT/FAN)

- 8. SILENT button: OUTDOOR UNIT SILENT operation
- 9. FAN setting button:
- It selects the airflow rate setting.
- 10. SENSOR button: INTELLIGENT EYE operation
- 11. SWING button:
- Flap (Horizontal blade) 12. SWING button:
- Louver (Vertical blades)
 13. ON TIMER button:
- 14. OFF TIMER button:
- 15. TIMER Setting button: · It changes the time setting.
- 16. TIMER CANCEL button:
- It cancels the timer setting.
 17. CLOCK button