

Submittal Data Sheet

Project Name:			
Location:		Approval:	
Engineer:	-	Date:	
Submitted to:		Construction:	
Submitted by:		Unit #:	
Reference:		Drawing #:	
TOTOTOTO.		Drawing #.	
<u>Performance</u>			
Indoor Unit Model No: FT	XN24KVJU	Indoor Unit Type:	Wall Mounted
Outdoor Unit Model No: RK	N24KEVJU	Condensing Unit Type:	Std SEER Cool Only
Rated Cooling Capacity (Btu/hr):	22000		Indoor: 80°F DB/67°F WB
Sensible Capacity (Btu/hr):	14370	Rated Cooling	Outdoor: 95°F DB/75°F WB
	22000/7500	Conditions	
Cooling Input Power (kW):	3		Indoor: N/A
SEER:	18	Rated Heating	Outdoor: N/A
Rated Heating Capacity (Btu/hr):	N/A	Conditions	Outdoon 14/71
Max/Min Heating Capacity (Btu/hr / kW):	N/A/N/A	Rated Piping Length(ft)	25
Heating Input Power (kW):	N/A	Rated Height Separation(ft)	0
Heating COP (Btu/hr / Btu/hr):	N/A	Nateu Height Separation(it)	
HSPF:	N/A	-	
norr.	11/74		
Indoor Unit Details			
·	230/60/1ph	Airflow Rate (CFM wet coil)	572/480/403
	L2, Ground	Moisture Removal (pt/h):	
Min Circuit Amps MCA (A):	N/A	Gas Pipe Connection (inch):	1/2
Max Overcurrent Amps MFA (A):	N/A	Liquid Pipe Connection (inch)	
Dimensions (HxWxD): 11-7/16x41-5/16x9-3/8		Condensate Connection (inch	
Panel (HxWxD): N/A		Sound Pressure Level (dBA):	,
Net Weight (lbs):	26.5	Sound Power Level (dBA):	62
	20.5	Static Pressure Rated/Max (ii	
Weight with Panel (lbs):		Static Pressure Rateu/Max (II	17070 0 7 070
Condensing Unit Details			
Power Supply (V/Hz/Ph): 208-	230/60/1ph	Compressor Type:	Inverter
Power Supply Connections: L1,	L2, Ground	Capacity Control Range (%):	
Min. Circuit Amps MCA (A):	15	Airflow Rate (CFM):	1752
Max. Overcurrent Amps MFA (A):	20	Gas Pipe Connection (inch):	1/2
Max. Starting Current MSC(A):		Liquid Pipe Connection (inch)	
Rated Load Amps RLA (A): 12		Sound Pressure Level (dBA):	
Dimensions (HxWxD): 23-7/16x31-5/1		Sound Power Level (dBA):	68
Net Weight (lbs):	93	<u> </u>	
System Details	D 4404	May Dina Langth (Vartis-15)	, 05.04
Refrigerant Type:	R-410A	Max. Pipe Length (Vertical ft)	
Holding Refrigerant Charge (lbs):	3.2	Cooling Operation Range (°F	
Additional Charge (oz/ft):	0.21	Cooling Range w/Baffle (°F):	0 - 115
Pre-charge Piping (Length ft):	33 ft	Heating Operation Range (°F	,
Max. Pipe Length (Total ft):	98.4 ft	Heating Range w/Baffle (°F):	N/A



Submittal Data Sheet

Project Name:	
Location:	Approval:
Engineer:	Approval: Date:
Submitted to:	Construction:
Submitted by:	Unit #:
Reference:	Drawing #:
TCICIOIOC.	blawing #.
FTXN24KVJU	RKN24KEVJU
FTXN24KVJU	RKN24KEVJU
Std U.S. Warranty: 6yrs Compressor, 2yrs Parts	Std U.S. Warranty: 6yrs Compressor, 2yrs Parts